



FULL BODY


VITRIFIED TILES

600X600MM | MATT

STRENGTH YOU CAN SEE DURABILITY YOU CAN FEEL

Crafted with precision and engineered for performance, Fullbody tiles are built for high-traffic spaces that demand strength without compromising on style. Manufactured using state-of-the-art technology, each tile maintains consistent color and texture throughout its body, making it highly resistant to wear, scratches, and deep abrasion.


Ideal for both residential and commercial applications, our Fullbody range is available in a variety of surfaces, including Matt, Punch, and Polished finishes — designed to suit diverse architectural needs.



FULL BODY
VITRIFIED TILES

CRAFTED WITH PRECISION AND ENGINEERED FOR PERFORMANCE

Built with accuracy, made to endure — Fullbody tiles for spaces that never slow down.



FULL BODY
VITRIFIED TILES

APPLICATION

600x600mm Full-Body Tiles are engineered for versatile performance across a wide range of spaces. Whether it's high-traffic commercial zones or stylish residential interiors, these tiles deliver unmatched durability with consistent surface integrity.

Application Area



Kitchen



Airport



Spa



Residential
Space



Schools



Offices




Spa



Shops



Commercial
Building



Industrial
Area

FEATURES

600x600mm Full-Body Tiles are built to perform under pressure, offering exceptional strength and reliability. Designed with uniform color and composition throughout, they ensure long-lasting performance even in demanding environments.

Tile Features



Lightweight



Deep Abrasion
Resistant



Thermal Shock
Resistant



Acid & Alkali
Resistant



Fire
Resistance



Easy
Cleaning



Stain
Resistance



Easy To
Install




Does Not
Absorb
Liquids



Frost
Resistance





NAME:
ASPIRE THUNDER

SIZE:	FINISH:	THICKNESS:
600X600MM	MATT	15MM

FULL BODY
VITRIFIED TILES





NAME:
URBAN BARLEY

SIZE:	FINISH:	THICKNESS:
600X600MM	MATT	15MM

FULL BODY
VITRIFIED TILES






NAME:
URBAN DARK GREY

SIZE:	FINISH:	THICKNESS:
600X600MM	MATT	15MM

FULL BODY
VITRIFIED TILES





NAME:
URBAN DOVE

SIZE:	FINISH:	THICKNESS:
600X600MM	MATT	15MM

FULL BODY
VITRIFIED TILES





NAME:
URBAN KOTA

SIZE:	FINISH:	THICKNESS:
600X600MM	MATT	15MM

FULL BODY
VITRIFIED TILES





NAME:
URBAN XL GREY

SIZE:	FINISH:	THICKNESS:
600X600MM	MATT	15MM

FULL BODY
VITRIFIED TILES




TUFFX

COLLECTION

Introducing the TuffX Collection – a powerful blend of durability and design. These 600x600mm fullbody tiles are engineered to endure high-traffic zones while elevating aesthetics with their raw, natural tones and textures.

Whether it's a commercial space, an industrial floor, or a bold home interior, TuffX tiles bring the toughness of stone with the finesse of modern surface technology.






**PUNCH
STUCCO**

NAME:
CONCRETO DARK GREY

FULL BODY
VITRIFIED TILES

SIZE:	FINISH:	THICKNESS:	RANDOM:
600X600MM	MATT	15MM	08





**PUNCH
STUCCO**

NAME:
CONCRETO XL GREY

FULL BODY
VITRIFIED TILES


SIZE:	FINISH:	THICKNESS:	RANDOM:
600X600MM	MATT	15MM	08





NAME:
CONCRETO KOTA


SIZE:	FINISH:	THICKNESS:	RANDOM:
600X600MM	MATT	15MM	08



**PUNCH
STUCCO**

FULL BODY
VITRIFIED TILES






**PUNCH
STUCCO**

**NAME:
LAVA BARLEY**

FULL BODY
VITRIFIED TILES

SIZE:	FINISH:	THICKNESS:	RANDOM:
600X600MM	MATT	15MM	14





**PUNCH
STUCCO**

**NAME:
LAVA DARK GREY**

FULL BODY
VITRIFIED TILES

SIZE:	FINISH:	THICKNESS:	RANDOM:
600X600MM	MATT	15MM	14

TECHNICAL SPECIFICATION

TECHNICAL DETAILS	STANDARD AS PER ISO-13006/EN176 GROUP BIa	MEAN VALUE OF FULL BODY VITRIFIED TILES	METHOD OF TEST
Deviation In Length & Width	± 0.60%	± 0.10%	ISO-10545-2
Deviation In Thickness	± 5.00%	± 2.00%	ISO-10545-2
Straightness Of Sides	± 0.50%	± 0.10%	ISO-10545-2
Rectangularity	± 0.60%	± 0.10%	ISO-10545-2
Surface Flatness	± 0.50%	± 0.10%	ISO-10545-2
Glossiness	Gloss Meter	Min. 90%	Glossometer
Water Absorption	≤ 0.50%	E ≤ 0.05%	ISO-10545-3
Breaking Strength	1300 N	2000 N	ISO-10545-4
Abrasion Resistance	Max. 175mm	Max. 145mm3	ISO-10545-6
Moh's Hardness	Min. 6	≤ 6*	EN101
Frost Resistance	Frost Proof	Frost Proof	ISO-10545-12
Thermal Shock	No Damage	No Damage	ISO-10545-9
Moisture Expansion	Nil	Nil	ISO-10545-10
Thermal Expansion	< 9 x 10 ⁻⁶	< 6 x 10 ⁻⁶	ISO-10545-8
Resistance of House Hold Chemical	No Damage	No Damage*	ISO-10545-13
Stain Resistance	Resistance	Resistance*	ISO-10545-14
Slip Resistance (Friction Co Efficient)	> 0.40	> 0.40	ISO-10545-17

PACKING DETAILS

Collection	Size	Pieces / Box	Whight / box (Approx)	Coverage Area / Box
	600x600mm	2 Pieces	23.00kg	7.75 ft² or 0.72 mtr²

CLEANING & MAINTENANCE

TYPE OF STAIN	CHEMICAL PRODUCT	EXAMPLE
Grease	Alkaline - Solvent	Detergent
Oil	Solvent	Ammonia, Backing Soda
Ink	Oxidant - Solvent	Alcohol, Liquid Bleach, Nail Paint Remover
Rust	Acid	Hydrochloric Acid, Vinegar, Red Harpic
Lime	Acid	Descaling Reagent, Hydrochloric Acid
Cement	Acid	Hydrochloric Acid
Wine	Alkaline	Ammonia, Liquid Bleach
Coffee	Alkaline - Solvent	Ammonia, Liquid Bleach
Rubber	Solvent	Alcohol, Thinner
Plaster	Acid	Hydrochloric Acid
Candle Wax	Solvent	Alcohol, Thinner
Iodine	Oxidant	Liquid Bleach
Blood	Oxidant	Liquid Bleach
Ice Cream	Alkaline	Liquid Bleach



ANAKON CERAMICS LLP

Address - 301, Maruti Tower, New Alap Park, Morbi, Gujrat-363641.

Corp. Office No. 411, Fourth Floor, Ansal Chamber-II,
6, Bhikaji Cama Place, New Delhi-110066.

Phone Number: 18003132100 , 9053303333

www.anakon.in