

Noka

Noka

Noka

Noka

full
body tiles

600X1200MM
NOKA PUNCH

 **ANAKON**
FLOOR & WALL TILES

Magnificent surface that perfectly suits every space

Our highly durable and versatile tiles make them suitable for indoor and outdoor use. Also, it adds magical charm in both residential and public spaces. Its fabulous designs and textures make us the most versatile choice for everyone.



Public Park and Garden



Terraces and Balconies



Driveways and Pathways



Swimming Pools and Surrounding Areas



Beach Resorts



High-traffic Industrial Areas




Xceptional surface Punch amaze everyone


Our Noka Punch has 4-punch effect surfaces that stimulates whoever feels it by touching it. Its unique and innovative punch brings outstanding charm to your ambiance. Bring it today for your magnificent space.

Noka
Punch


full
body tiles — 600X1200MM




BRICK
PUNCH




FLUTE
PUNCH



CLOUD
PUNCH



LINER
PUNCH








NOKA**BRICK**

The punch effect adds depth and dimension, accentuating the beauty of every shade. From subtle gradients to bold contrasts, each tile becomes a work of art. Experience innovation and creativity, redefining aesthetics with every step.

full
body tiles

600X1200MM





BRICK STEEL GREY

CATEGORY. BASIC

Noka
Punch

full
body tiles

600X1200MM
BRICK PUNCH



SCRATCH
RESISTANT





CHEMICAL
RESISTANT



BACTERIA
RESISTANT



FIRE
RESISTANT



BRICK DARK GREY

CATEGORY. BASIC

Noka
Punch

full
body tiles

600X1200MM
BRICK PUNCH



SCRATCH
RESISTANT



CHEMICAL
RESISTANT



BACTERIA
RESISTANT





FIRE
RESISTANT



BRICK
DARK GREY

FULL BODY
600X1200MM



BRICK KOTA

CATEGORY. BASIC

Noka
Punch

full
body tiles

600X1200MM
BRICK PUNCH



SCRATCH
RESISTANT





CHEMICAL
RESISTANT



BACTERIA
RESISTANT



FIRE
RESISTANT



BRICK CREMOSO

CATEGORY. BASIC

Noka
Punch

full
body tiles

600X1200MM
BRICK PUNCH



SCRATCH
RESISTANT





CHEMICAL
RESISTANT



BACTERIA
RESISTANT



FIRE
RESISTANT



BRICK SUPER WHITE

CATEGORY. S. SPECIAL

Noka
Punch

full
body tiles

600X1200MM
BRICK PUNCH



SCRATCH
RESISTANT





CHEMICAL
RESISTANT



BACTERIA
RESISTANT



FIRE
RESISTANT



BRICK CHARCOL BLACK

CATEGORY. S. SPECIAL

Noka
Punch

full
body tiles

600X1200MM
BRICK PUNCH



SCRATCH
RESISTANT



CHEMICAL
RESISTANT



BACTERIA
RESISTANT



FIRE
RESISTANT



NOKAFLUTE

full
body tiles

600X1200MM

Embrace the artistry of design, where the elegance of vertical line textures creates a stunning visual rhythm. Each tile boasts a captivating punch of beauty, revealing a harmonious interplay of shades that elevate any environment.

FLUTE SUPER WHITE


FLUTE STEEL GREY

FLUTE DARK GREY

FLUTE CREMOSO

FLUTE KOTA

FLUTE CHARCOL BLACK



FLUTE
STEEL GREY

CATEGORY. BASIC

Noka
Punch

full
body tiles

600X1200MM
FLUTE PUNCH



SCRATCH
RESISTANT





CHEMICAL
RESISTANT



BACTERIA
RESISTANT



FIRE
RESISTANT



FLUTE
DARK GREY

CATEGORY. BASIC

Noka
Punch

full
body tiles

600X1200MM
FLUTE PUNCH



SCRATCH
RESISTANT




CHEMICAL
RESISTANT



BACTERIA
RESISTANT



FIRE
RESISTANT



Noka
Punch

full
body tiles

600X1200MM
FLUTE PUNCH



SCRATCH
RESISTANT



CHEMICAL
RESISTANT




BACTERIA
RESISTANT



FIRE
RESISTANT

FLUTE
KOTA

CATEGORY. BASIC



FLUTE
CREMOSO

CATEGORY. BASIC

Noka
Punch

full
body tiles

600X1200MM
FLUTE PUNCH



SCRATCH
RESISTANT



CHEMICAL
RESISTANT



BACTERIA
RESISTANT




FIRE
RESISTANT



FLUTE
CREMOSO

FULL BODY
600X1200MM



FLUTE
SUPER WHITE

CATEGORY. S. SPECIAL

Noka
Punch

full
body tiles

600X1200MM
FLUTE PUNCH



SCRATCH
RESISTANT




CHEMICAL
RESISTANT



BACTERIA
RESISTANT



FIRE
RESISTANT



Noka
Punch

full
body tiles

600X1200MM
FLUTE PUNCH



SCRATCH
RESISTANT



CHEMICAL
RESISTANT



BACTERIA
RESISTANT



FIRE
RESISTANT

FLUTE
CHARCOL BLACK

CATEGORY. S. SPECIAL



NOKALINER

Discover the unmatched elegance of full-body tiles , where every shade tells a story, and every texture adds depth.The beauty of seamless lines and flawless finishes brings life to any space. Elevate your interiors with the timeless charm of tiles that blend art and durability.

full
body tiles

600X1200MM

LINER SUPER WHITE



LINER STEEL GREY

LINER DARK GREY

LINER CREMOSO

LINER KOTA

LINER CHARCOL BLACK



LINER
STEEL GREY

CATEGORY. BASIC

Noka
Punch

full
body tiles

600X1200MM
LINER PUNCH



SCRATCH
RESISTANT





CHEMICAL
RESISTANT



BACTERIA
RESISTANT



FIRE
RESISTANT



LINER
DARK GREY

CATEGORY. BASIC

Noka
Punch

full
body tiles

600X1200MM
LINER PUNCH



SCRATCH
RESISTANT





CHEMICAL
RESISTANT



BACTERIA
RESISTANT



FIRE
RESISTANT



LINER CREMOSO

CATEGORY. BASIC

Noka
Punch

full
body tiles

600X1200MM
LINER PUNCH



SCRATCH
RESISTANT





CHEMICAL
RESISTANT



BACTERIA
RESISTANT



FIRE
RESISTANT



LINER KOTA

CATEGORY. BASIC

Noka
Punch

full
body tiles

600X1200MM
LINER PUNCH



SCRATCH
RESISTANT




CHEMICAL
RESISTANT



BACTERIA
RESISTANT



FIRE
RESISTANT



LINER SUPER WHITE

CATEGORY. S. SPECIAL

Noka
Punch

**full
body tiles**

600X1200MM
LINER PUNCH



SCRATCH
RESISTANT



CHEMICAL
RESISTANT



BACTERIA
RESISTANT




FIRE
RESISTANT



LINER
SUPER WHITE

FULL BODY
600X1200MM



Noka
Punch

full
body tiles

600X1200MM
LINER PUNCH



LINER
CHARCOL BLACK

CATEGORY. S. SPECIAL



SCRATCH
RESISTANT



CHEMICAL
RESISTANT



BACTERIA
RESISTANT



FIRE
RESISTANT



Discover the elegance of full-body tiles, where each piece reveals a symphony of shades. From bold textures to subtle color, our tiles enhance every space with unmatched beauty. Elevate your interiors with timeless, lasting artistry that speaks in every detail.

full
body tiles

600X1200MM

CLOUD DUSKY GREY

CLOUD DUSKY BUTTER

CLOUD SUPER WHITE


CLOUD STEEL GREY

CLOUD DARK GREY

CLOUD CREMOSO

CLOUD KOTA

CLOUD CHARCOL BLACK



CLOUD
DUSKY GREY

CATEGORY. BASIC

Noka
Punch

**full
body tiles**

600X1200MM
CLOUD PUNCH



SCRATCH
RESISTANT



CHEMICAL
RESISTANT



BACTERIA
RESISTANT



FIRE
RESISTANT



CLOUD
DUSKY BUTTER

CATEGORY. BASIC

Noka
Punch

full
body tiles

600X1200MM
CLOUD PUNCH



CHEMICAL
RESISTANT





CLOUD
DUSKY BUTTER

FULL BODY
600X1200MM



CLOUD
STEEL GREY

CATEGORY. BASIC

Noka
Punch

full
body tiles

600X1200MM
CLOUD PUNCH



SCRATCH
RESISTANT



CHEMICAL
RESISTANT



BACTERIA
RESISTANT



FIRE
RESISTANT



CLOUD
DARK GREY

CATEGORY. BASIC

Noka
Punch

**full
body tiles**

600X1200MM
CLOUD PUNCH



SCRATCH
RESISTANT



CHEMICAL
RESISTANT



BACTERIA
RESISTANT



FIRE
RESISTANT



CLOUD KOTA

CATEGORY. BASIC

Noka
Punch

full
body tiles

600X1200MM
CLOUD PUNCH



SCRATCH
RESISTANT



CHEMICAL
RESISTANT



BACTERIA
RESISTANT




FIRE
RESISTANT



CLOUD
KOTA

FULL BODY
600X1200MM



CLOUD CREMOSO

CATEGORY. BASIC

Noka
Punch

**full
body tiles**

600X1200MM
CLOUD PUNCH



SCRATCH
RESISTANT



CHEMICAL
RESISTANT



BACTERIA
RESISTANT



FIRE
RESISTANT



Noka
Punch

**full
body tiles**

600X1200MM
CLOUD PUNCH



SCRATCH
RESISTANT



CHEMICAL
RESISTANT



BACTERIA
RESISTANT





FIRE
RESISTANT

**CLOUD
SUPER WHITE**

CATEGORY. S. SPECIAL





CLOUD CHARCOL BLACK

CATEGORY. S. SPECIAL

Noka
Punch

**full
body tiles**

600X1200MM
CLOUD PUNCH



SCRATCH
RESISTANT



CHEMICAL
RESISTANT



BACTERIA
RESISTANT



FIRE
RESISTANT

TECHNICAL SPECIFICATIONS

CHARACTERISTICS				
Dimension & Surface Quality		International Specifications ISO 13006/EN 176 Group & IS 15622 : 2006	Value	Method of Testing
	Deviation In Length & Width	± 0.6%	± 0.1%	ISO 10545 Pt2
	Deviation In thickness	± 5%	± 3%	ISO 10545 Pt2
	Straightness of sides	± 0.5%	± 0.1%	ISO 10545 Pt2
	Rectangularity	± 0.6%	± 0.2%	ISO 10545 Pt2
	Surface Flatness	± 0.5%	± 0.2%	ISO 10545 Pt2
	Glossiness	Gloss meter	min 90% Reflection	ISO 10545 Pt2
Physical & Thermal Properties				
	Water Absorption	< 0.5%	< 0.05%	ISO 10545 Pt3
	Mohs Hardness	> 6	8	EN 101
	Flexural Strength (Mor)	> 35N/m²	≥ 46 N/mm²	ISO 10545 Pt4
	Surface Abrasion Resistance	< 175 mm³	< 145 mm³	ISO 10545 Pt6
	Skid Resistance	> 0.4	> 0.4	ISO 10545 Pt17
	Breaking Strength	1113 N	2800 N	ISO 10545 Pt4
	Density (g/cc)	> 2	> 2.4	DIN 51082
	Frost Resistance	Frost Proof	Frost Proof	ISO 10545 Pt12
	Thermal Shock Resistance	No Damage	No Damage	ISO 10545 Pt9
	Thermal Expansion	< 9 x 10 ⁽⁻⁶⁾	< 6 X 10 ⁽⁻⁶⁾	ISO 10545 Pt8
	Moisture Expansion	Nil	Nil	ISO 10545 Pt10
Chemical Properties				
	Chemical Resistance	No Damage	No Damage	ISO 10545 Pt13
	Colour Resistance	No Damage	No Damage	DIN 51094
	Stain Resistance	Resistant	Resistant	ISO 10545 Pt14

*Not applicable for glossy finishes

** These parameters are not applicable for structured punches

PACKING DETAILS

SIZE	Pcs. /Box	Weight / Box (approx.)		Coverage Area /Box
		Polished	Matt	
600x1200mm	2 pcs	27	28	15.50 ft²or 1.44 mtr²



ANAKON CERAMICS LLP

Address : 301, Maruti Tower, New Alap Park, Morbi, Gujrat-363641.

Corp. Office : Office No. 411, Fourth Floor, Ansal Chamber-11, 6, Bhikaji Cama Place, New Delhi-110066.

PHONE : 1800 313 2100 / 90533 03333

EMAIL : tile@anakon.in

WEBSITE : www.anakon.in